



KLEENGUARD* G10 POWDER-FREE LATEX GLOVES PRODUCT SPECIFICATION

SIZE/CODE:	X-Small	Small	Medium	Large	X-Large
	57170	57171	57172	57173	57174

REQUIREMENTS:

1. Style

- Natural Rubber Latex
- Powder Free
- Beaded Cuff
- Textured
- Ambidextrous

2. Barrier

- Freedom from holes (e.g. pinholes) at AQL¹ 6.5

3. Strength

Before Aging		After Aging	
Tensile Strength (MPa)	Ultimate Elongation (%)	Tensile Strength (MPa)	Ultimate Elongation (%)
21 min.	700 min.	16 min.	500 min.

As measured by ASTM D412, Standard Test Methods for Vulcanized Rubber and Thermoplastic Elastomers – Tension.
Aged according to ASTM D573, Standard Test Method for Rubber – Deterioration in an Air Oven.

4. Dimensions

- Dimensional characteristics at AQL¹ 10.0. Palm widths +/-10 .

Palm Width (mm)					Thickness (mm)		Mils	Length (mm)
<u>X-Small</u>	<u>Small</u>	<u>Medium</u>	<u>Large</u>	<u>X-Large</u>	Palm	Finger	Cuff	230 min
70	80	95	111	115	0.11 min	0.14 min	0.09 min	5.5
								6.7

As measured by ASTM D3578, Standard Practice for Natural rubber – Measurement of Dimensions

5. Packaging

- 100 gloves (90 for XL) per dispenser box.
- 10 dispenser boxes per case.
- Shipping case and inner packaging labeled with product name, size, lot/batch and catalogue number

1. AQL levels defined according to ISO 2859-1 for sampling by attributes.

Additional Information:

For additional information, contact your local Kimberly-Clark representative or email

Tech_Asia@kcc.com

www.kcprofessional.com