

MATERIAL SAFETY DATA SHEET

PRODUCT: Kimberly-Clark® Office Wipe

Date of Issue: 20.3.01

STATEMENT OF HAZARDOUS NATURE:

Not classified as hazardous according to criteria of Worksafe Australia

COMPANY DETAILS:

Company:	Kimberly-Clark Australia
Address:	52 Alfred Street, MILSONS POINT NSW 2061
Telephone Number:	1800 647 994
Emergency Telephone:	0428 976 450

PRODUCT IDENTIFICATION:

Product Name: Kimberly-Clark® Office Wipe	Manufacturer's Product Code 4100
---	--

Synonyms : Nil

UN No.:	Nil	D.G. Class:	Nil	CAS No.:	Nil
Hazchem:	Nil	Sub. Risk:	Nil	G.T.EPG:	Nil
Spec.EPG:	Nil	Pack. Grp:	Nil	Poisons:	Nil

Use:

Hard Surface bactericidal Wipe

Physical Description / Properties:

Appearance:	Moist white towelette with alcoholic odour in plastic canister
Boiling Point (deg C):	Not applicable Initial bp. 78 deg C
Melting Point (deg C):	Not applicable
Vapour Pressure	Not applicable
Specific gravity:	Not applicable
Flash Point (deg C):	Not available Flash point (70% v/v ethyl alcohol): 23 deg C (approx – open cup)
Flammability Limits:	Not available. for ethyl alcohol : LEL: 3.3% UEL: 19%
Solubility in water (g/L):	Not applicable

Ingredients:

Chemical Name	CAS No.	Proportion (%)
Ethyl Alcohol	64-17-5	>60% (70% v/v ethyl alcohol)
Bonded carded web fabric	Not applicable	10- <30%
Water		To 100%

HEALTH HAZARD INFORMATION

Acute Effects:

Swallowed:

May cause local irritation to the gastro-intestinal tract causing vomiting and abdominal pain to occur.

Eye:

Contact may cause irritation.

Skin:

Contact may cause irritation. Frequent or prolonged use may cause de-fatting of the skin leading to dryness and cracking or dermatitis.

Inhaled:

Vapour may be irritant to mucous membrane and respiratory tract. Inhalation of vapour may cause headaches, dizziness and possible nausea. Inhalation may cause possible CNS effects.

Chronic Effects:

No data. There is no evidence that ethyl alcohol is a carcinogen.

First Aid:

Swallowed:

Give two glasses of water and induce vomiting. Seek medical attention.

Eye:

Immediately flush the contaminated eye/s with copious quantity of water for at least 15min by the clock, holding the eyelid/s open. Seek medical attention.

Skin:

Wash affected area with plenty of water. Seek medical attention if swelling, redness, blistering or irritation persist.

Inhaled:

Remove victim to fresh air. Seek medical advice if effects persist.

Advice to Doctor:

Contact Poisons Information Centre (Phone: 131126)

Toxicity and Irritation

For Ethyl alcohol: Oral LD₅₀(rat)>7060 mg/kg. Inhalation LC₅₀ (rat): 20,000ppm/10H
LDL0 route oral(human): 1400mg/kg. Estimated fatal dose (humans): 300-400 mL pure ethyl alcohol

PRECAUTIONS FOR USE

Exposure Standards:

Worksafe Australia: Ethyl alcohol: TWA 1,000 ppm, 1,880mg/m³

Engineering Controls:

Use with adequate ventilation

Personal Protection:

People with sensitive or damaged skin should avoid prolonged contact. If in doubt, wear gloves.

Flammability:

Do NOT use near naked flame, heat or source of ignition as OFFICE WIPE support combustion

SAFE HANDLING INFORMATION

Storage and Transport:

Conditions to Avoid: Sparks, heat or source of ignition

Suitable Container: Clearly labeled. Keep containers closed at all times. OFFICE WIPE is not classified as a Class three Dangerous Good.

Storage Requirement: Do not store above 25 deg C for extended periods.

Spills and Disposal: Not applicable

Fire/Explosion and Reactivity Data:

Reactivity data:

STABILITY: Stable

INCOMPATIBILITY: Avoid strong oxidising agents

HAZARDOUS DECOMPOSITION: Carbon monoxide, carbon dioxide.

HAZARDOUS POLYMERISATION: will not occur

Fire/ Explosion Hazard: None Known

Extinguishing Medium: Water, Co2 or dry powder fire extinguisher.

CONTACT POINT

References: (1) National Code of Practice for the preparation of MSDS [NOHSC:2011(1994)], (2) List of Designated Hazardous Substances [NOHSC:10005(1999)], (3) Supplier MSDS

Contact:

Customer Care Line (Toll Free) 1800 647 994

Product Manager, Away from Home Division, Tel (02) 9963 8888

Australian Poisons Information Centre

24-hour service: - 131126

Police or fire brigade: - 000

New Zealand Poisons Information Centre

Dunedin: - (03) 479 1200 (Normal Hours)

(03) 474 0999 (Emergency)

DISCLAIMER: The information provided in the Material Safety Data Sheet is accurate information to the best of Kimberly-Clark Australia's knowledge at the time of printing.